



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/779,471	02/13/2004	Bradford G. Baruh	033151-026	5526

21839 7590 07/14/2011
BUCHANAN, INGERSOLL & ROONEY PC
POST OFFICE BOX 1404
ALEXANDRIA, VA 22313-1404

EXAMINER

DUNWOODY, AARON M

ART UNIT	PAPER NUMBER
----------	--------------

3679

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

07/14/2011

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ADIPFDD@bipc.com
offserv@bipc.com

Office Action Summary	Application No. 10/779,471	Applicant(s) BARUH, BRADFORD G.	
	Examiner AARON DUNWOODY	Art Unit 3679	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 April 2011.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6, 11 and 23-35 is/are pending in the application.
- 4a) Of the above claim(s) 33-35 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6, 11 and 23-32 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

In view of the Appeal Brief filed on 4/25/2011, PROSECUTION IS HEREBY REOPENED. Grounds set forth below.

To avoid abandonment of the application, appellant must exercise one of the following two options:

(1) file a reply under 37 CFR 1.111 (if this Office action is non-final) or a reply under 37 CFR 1.113 (if this Office action is final); or,

(2) initiate a new appeal by filing a notice of appeal under 37 CFR 41.31 followed by an appeal brief under 37 CFR 41.37. The previously paid notice of appeal fee and appeal brief fee can be applied to the new appeal. If, however, the appeal fees set forth in 37 CFR 41.20 have been increased since they were previously paid, then appellant must pay the difference between the increased fees and the amount previously paid.

A Supervisory Patent Examiner (SPE) has approved of reopening prosecution by signing below:

/Daniel P. Stodola/
Supervisory Patent Examiner, Art Unit 3679.

DETAILED ACTION


Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-5, 11, 23-27, and 29-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over US patent 3594021, Williams in view of US patent 5499882, Waterhouse.

In regards to claim 1, Williams discloses a pipe coupling (16) comprising: an elongated housing having a first end and a second end, the housing defining an elongated bore therein; a stop (20) located on an inner diameter of the housing, the stop located between the first end and the second ends of the housing, wherein a distance from the stop to one of the first and second ends is at least two times a distance from the stop to the other of the first and second end of the housing; a first cylindrical bore extending from the first end to the stop; and a second cylindrical bore extending from the second end to the stop, and wherein each of the cylindrical bores are configured to allow a pipe end to advance into the pipe coupling until reaching the stop.



Williams does not disclose an angle between the first cylindrical bore and the second cylindrical bore is about 15 degrees to about 165 degrees. Waterhouse teaches couplings (1, 5, 6, 9, 13, 14) with an angle between a first cylindrical bore and a second cylindrical bore being about 15 degrees to about 165 degrees, to employ different angles for conventional plumbing (col. 1, lines 45-57). As Waterhouse relates to geometrical structures using plumbing joints, it would have been obvious to one having ordinary skill in the art at the time the invention was made to fabricate couplings with an angle between a first cylindrical bore and a second cylindrical bore being about 15 degrees to about 165 degrees, to employ different angles for conventional plumbing, as taught by Waterhouse.

In regards to claim 2, Waterhouse further discloses the angle between the first cylindrical bore and the second cylindrical bore is about 45 degrees.

In regards to claim 3, Waterhouse further discloses the angle between the first cylindrical bore and the second cylindrical bore is about 60.

In regards to claim 4, Waterhouse further discloses the angle between the first cylindrical bore and the second cylindrical bore is about 90.

In regards to claim 5, Waterhouse further discloses the angle between the first cylindrical bore and the second cylindrical bore is about 120 degrees.

In regards to claim 11, Williams in view of Waterhouse disclose a pipe coupling consisting of: an elongated housing having a first end and a second end, the housing defining an elongated bore therein; a stop located on an inner diameter of the housing, the stop located between the first end and the second ends of the housing, wherein a distance from the stop to one of the first and second ends is at least two times a distance from the stop to the other of the first and second end of the housing; a first cylindrical bore extending from the first end to the stop; and a second cylindrical bore extending from the second end to the stop, wherein the angle between the first cylindrical bore and the second cylindrical bore is about 15 degrees to about 165 degrees, and wherein each of the cylindrical bores are configured to allow a pipe end to advance into the pipe coupling until reaching the stop.

In regards to claim 23, Williams in view of Waterhouse disclose a pipe coupling comprising: an elongated housing having a first end and a second end, the housing defining an elongated bore therein; a single stop located on an inner diameter of the housing, the stop located between the first end and the second ends of the housing, wherein a distance from the stop to one of the first and second ends is at least two times a distance from the stop to the other of the first and second end of the housing; a first cylindrical bore extending from the first end to the stop; and a second cylindrical

Art Unit: 3679

bore extending from the second end to the stop, wherein an angle between the first cylindrical bore and the second cylindrical bore is about 15 degrees to about 165 degrees.

In regards to claim 24, Waterhouse further discloses the angle between the first cylindrical bore and the second cylindrical bore is about 45 degrees.

In regards to claim 25, Waterhouse further discloses the angle between the first cylindrical bore and the second cylindrical bore is about 60.

In regards to claim 26, Waterhouse further discloses the angle between the first cylindrical bore and the second cylindrical bore is about 90.

In regards to claim 27, Waterhouse further discloses the angle between the first cylindrical bore and the second cylindrical bore is about 120 degrees.

In regards to claim 29, Williams discloses the stop being a single stop located on the inner diameter of the housing.


In regards to claim 30, Williams discloses the stop being a single stop located on the inner diameter of the housing.

In regards to claim 31, Waterhouse further discloses the angle between the first cylindrical bore and the second cylindrical bore is about 45 degrees to about 135 degrees.

In regards to claim 32, Waterhouse further discloses the angle between the first cylindrical bore and the second cylindrical bore is about 60 degrees to about 90 degrees.

Claims 1, 6, 11, 23 and 28-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over US patent 3594021, Williams in view of US patent 4676241, Webb et al.

In regards to claim 1, Williams discloses a pipe coupling (16) comprising: an elongated housing having a first end and a second end, the housing defining an elongated bore therein; a stop (20) located on an inner diameter of the housing, the stop located between the first end and the second ends of the housing, wherein a distance from the stop to one of the first and second ends is at least two times a distance from the stop to the other of the first and second end of the housing; a first cylindrical bore extending from the first end to the stop; and a second cylindrical bore extending from the second end to the stop, and wherein each of the cylindrical bores are configured to allow a pipe end to advance into the pipe coupling until reaching the stop.



Art Unit: 3679

Williams does not disclose an angle between the first cylindrical bore and the second cylindrical bore is about 15 degrees to about 165 degrees. Webb et al teach a coupling (31) with an angle between a first cylindrical bore and a second cylindrical bore being about 15 degrees to about 165 degrees, to change the direction of medium flow. As Webb et al relate to ventilation tubes, it would have been obvious to one having ordinary skill in the art at the time the invention was made to fabricate couplings with an angle between a first cylindrical bore and a second cylindrical bore being about 15 degrees to about 165 degrees, to change the direction of medium flow.

Further, a change in the shape of a prior art device is a design consideration within the level of skill of one skilled in the art. In re Dailey, 357 F.2d 669, 149 USPQ 47 (CCPA 1966).

In regards to claim 6, Webb et al further disclose the angle between the first cylindrical bore and the second cylindrical bore is about 135 degrees.

In regards to claim 11, Williams in view of Webb et al disclose a pipe coupling consisting of: an elongated housing having a first end and a second end, the housing defining an elongated bore therein; a stop located on an inner diameter of the housing, the stop located between the first end and the second ends of the housing, wherein a distance from the stop to one of the first and second ends is at least two times a distance from the stop to the other of the first and second end of the housing; a first cylindrical bore extending from the first end to the stop; and a second cylindrical bore extending from the second end to the stop, wherein the angle between the first cylindrical bore and the second cylindrical bore is about 15 degrees to about 165

Art Unit: 3679

degrees, and wherein each of the cylindrical bores are configured to allow a pipe end to advance into the pipe coupling until reaching the stop.

In regards to claim 23, Williams in view of Webb et al disclose a pipe coupling comprising: an elongated housing having a first end and a second end, the housing defining an elongated bore therein; a single stop located on an inner diameter of the housing, the stop located between the first end and the second ends of the housing, wherein a distance from the stop to one of the first and second ends is at least two times a distance from the stop to the other of the first and second end of the housing; a first cylindrical bore extending from the first end to the stop; and a second cylindrical bore extending from the second end to the stop, wherein an angle between the first cylindrical bore and the second cylindrical bore is about 15 degrees to about 165 degrees.

In regards to claim 28, Waterhouse further discloses the angle between the first cylindrical bore and the second cylindrical bore is about 135 degrees.

In regards to claim 29, Williams discloses the stop being a single stop located on the inner diameter of the housing.

In regards to claim 30, Williams discloses the stop being a single stop located on the inner diameter of the housing.

In regards to claim 31, Webb et al further disclose the angle between the first cylindrical bore and the second cylindrical bore is about 45 degrees to about 135 degrees.

Response to Arguments

Applicant's arguments with respect to claims above have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to AARON DUNWOODY whose telephone number is (571)272-7080. The examiner can normally be reached on 7:30 - 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel P. Stodola can be reached on (571)272-7087. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 3679

If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/AARON DUNWOODY/
Primary Examiner, Art Unit 3679

.amd